

I claim:

1. A method for compressing an input string, comprising the steps of:
generating a lexicographic normal form from said input string, using only a
5 single pass over said input string; and
applying a compression scheme to said lexicographic normal form.
2. The method of claim 1, wherein said compression scheme is a grammar-
based lossless data compression scheme.
10
3. The method of claim 1, wherein said input string is one or more program
instructions.
4. The method of claim 1, wherein said input string is one or more events in a
15 communications network.
5. The method of claim 1, wherein said generating step further comprises the
step of evaluating a set of equivalent words with respect to a noncommutation graph.
- 20 6. The method of claim 1, wherein said generating step further comprises the
steps of:
employing a stack corresponding to each vertex $v \in V$, where w is a word
over an alphabet V ;
processing symbols of w from right to left;
25 upon seeing a letter u , pushing a u on its stack and a marker pushed on the
stacks corresponding to symbols which are adjacent to u in a noncommutation graph G ;
and
once the entire word has been processed, using said stacks to determine
said lexicographic normal form for an interchange class containing the word.

30

7. A method for compressing an input string, comprising the steps of:
generating a Foata normal form from said input string; and
applying a compression scheme to said Foata normal form.
- 5 8. The method of claim 7, wherein said compression scheme is a grammar-based lossless data compression scheme.
9. The method of claim 7, wherein said input string is one or more program instructions.
- 10 10. The method of claim 7, wherein said input string is one or more events in a communications network.
11. The method of claim 7, wherein said generating step further comprises the
15 step of evaluating a set of equivalent words with respect to a noncommutation graph.
12. The method of claim 7, wherein said generating step further comprises the steps of:
employing a stack corresponding to each vertex $v \in V$, where w is a word
20 over an alphabet V ;
processing symbols of w from right to left;
upon seeing a letter u , pushing a u on its stack and a marker on the stacks corresponding to symbols which are adjacent to u in a noncommutation graph G ; and
once the entire word has been processed, using said stacks to determine
25 said Foata normal form for an interchange class containing the word.
13. A compression system, comprising:
a memory; and
a processor operatively coupled to said memory, said processor configured
30 to:
generate a normal form from said input string, using only a single pass over said input string; and

applying a compression scheme to said normal form.

14. The compression system of claim 13, wherein said compression scheme is a grammar-based lossless data compression scheme.

5

15. The compression system of claim 13, wherein said input string is one or more program instructions.

16. The compression system of claim 13, wherein said input string is one or more events in a communications network.

10

17. The compression system of claim 13, wherein said normal form is a lexicographic normal form.

18. The compression system of claim 13, wherein said normal form is a Foata normal form.

15

19. The compression system of claim 13, wherein said wherein said processor is further configured to evaluate a set of equivalent words with respect to a noncommutation graph.

20

20. The compression system of claim 13, wherein said wherein said processor is further configured to:

employ a stack corresponding to each vertex $v \in V$, where w is a word over an alphabet V ;

25

process symbols of w from right to left;

upon seeing a letter u , pushing a u on its stack and a marker on the stacks corresponding to symbols which are adjacent to u in the noncommutation graph G ; and

once the entire word has been processed, using said stacks to determine said normal form for an interchange class containing the word.

30